

## PodCom-R

The PodCom-R was designed to meet MIL-SPEC 810 standards for shock and vibration, the PodCom-R chassis is IP67 rated and can withstand depths up to 1m (3.3 ft) for 30 minutes. The PodCom-R can operate on 12-32VDC and includes 1 USB 2.0 port, 1 USB 3.0 port and 1 Mini-DisplayPort video output on the chassis itself and 1 USB 2.0, 1 single PC Card router with 14 10/100 IP67 Ethernet ports, 2 general purpose RS-232 ports, and 1 RS-232 port for management of the integrated switch available through a ruggedized MIL-SPEC connector. The PodCom-R can easily be stacked and secured to any other product in the PodCom product line. Heat sinks are removable. Made in the USA.



### Tech Specs

<b>SKU</b>	ADDC-PodCom-R
<b>Size</b>	7"L x 6" W x 2.5"H
<b>Weight</b>	3.3 lbs (5.3 lbs w/ cables)
<b>Power</b>	6-pin circular connector DC input cable 12-32 VDC
<b>System Includes</b>	<ul style="list-style-type: none"> <li>- MiniDP</li> <li>- USB 2.0</li> <li>- USB 3.0</li> </ul> <p><b>Mil Spec Cable</b></p> <ul style="list-style-type: none"> <li>- USB 2.0</li> <li>- (14) Ethernet connection (10/100)</li> <li>- (2) Serial DTE (RS-232)</li> <li>- (1) Serial DCE (RS-232)</li> </ul>