

## BIODIGITALPC® - M6

ADDC has developed a micro-form factor docking station for use within integrated products such as monitors, tablets, TVs, and micro client setups. Utilizing a small energy footprint, the M6 is the easiest way to integrate into larger platforms while maintaining standard connections.

The M6 docking station comes complete with a BioDigitalPC® docking connector, one USB 3.0 port, two USB 2.0 ports, one USB 2.0 4-pin header, one RJ-45 10/100 Mbps Ethernet connector, one PCIe x1 connector (optional), a 12VDC power connector, a Mini-DisplayPort video connector, and an external 12V PCIe power header.

BioDigitalPC® products encompass a revolutionary computing system which allows for maximum flexibility with minimum footprint, weight and energy consumption. Proudly made in the USA. **TAA Compliant.**



### Tech Specs

|              |  |
|--------------|--|
| <b>SKU</b>   | ADDC-M6-I  |
| <b>Size</b>  | 104mm x 45mm x 16mm  |
| <b>Specs</b> | <ul style="list-style-type: none"> <li>(1) USB 3.0 port</li> <li>(2) USB 2.0 port</li> <li>(1) RJ45 10/100/1000 Mbps Ethernet Connector*</li> <li>PCIe x1 connector (optional)</li> <li>12VDC 2.5mm center pin input power jack</li> <li>Mini-DisplayPort (HDMI capable) connector</li> <li>Reset and system On/Off headers</li> <li>4A DC-DC Converter (for 3.3V req. in MiniDP &amp; PCIe X1)</li> <li>5V fan header</li> <li>Red 5V &amp; 12V power LED indicator and header</li> <li>Green Card Detect LED indicator and header</li> <li>BioDigitalIPC® 100-pin docking connector</li> <li>(3) 4mm mounting holes</li> <li>External 12V PCIe power header</li> <li><i>Headers are standard 0.1" pitch</i></li> </ul> |