

## Desktop Dock 3.0

The Desktop Dock 3.0 provides the BioDigitalPC® card with a fully functioning desktop computer experience. Its simplicity, very small size, and low power consumption provide convenience and flexibility.

The Desktop Dock 3.0 consists of four USB 2.0 connections, one USB 3.0 connection, a Mini-DisplayPort, and a 10/100/1000 Ethernet connection (VMWare compatible) to access the internet, as well as a power connection.

Insert the BioDigitalPC® card into the Desktop Dock 3.0 and it will automatically power up. The BioDigitalPC® card will boot up the installed operating system.



The red LED on the front of the Desktop Dock 3.0 indicates power to the board, the green LED indicates the BioDigitalPC® card has been properly inserted.

The Desktop Dock 3.0, in conjunction with the BioDigitalPC® card, runs on 12VDC at an average power draw of 10W (8W - 10W TPD during normal use).

Proudly made in the USA. **TAA Compliant.**



### Tech Specs

<b>SKU</b>	ADDC-DD3-E
<b>Size</b>	4.75"L x 4.5W x 1.3"H
<b>Weight</b>	0.35lbs
<b>Power</b>	12 VDC
<b>USB 3.0</b>	1
<b>USB 2.0</b>	4
<b>10/100/1000 Mbps Ethernet</b>	1
<b>Mini-DisplayPort</b>	1